

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	11	"3586213"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/07 09:37
S3	10	"4405062"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/06 17:07
S4	474	222/102	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/07 11:44
S5	372	222/101	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/06 13:40
S6	164	222/98	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/06 13:40
S7	2664	222/95	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/06 13:40
S8	106	S4 and S5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/06 13:41
S9	90	S4 and spring and handl\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/06 13:50
S10	18	"1773104"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/06 17:04
S11	11	"3586213"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/06 18:44

S12	6	("3586213").URPN.	USPAT	OR	OFF	2004/12/06 17:09
S13	8	("1773104" "1784752" "2357351" "3197072").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/06 17:09
S14	474	222/102	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/06 17:44
S15	201	S14 and spring	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/06 17:45
S16	10	S15 and torque	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/06 17:50
S17	66	S14 and spring with rollers	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/06 17:52
S19	32	S14 and roller and friction	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/06 18:00
S20	1	S14 and roller and friction with cover	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/06 17:58
S21	13	S19 and cover	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/06 18:08
S22	1	S15 and friction with cover	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/06 18:09
S23	26	S15 and friction	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/06 18:22

S24	0	S14 and sticky and tacky	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/06 18:23
S25	1	S14 and sticky	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/06 18:23
S26	1	S14 and tacky	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/06 18:25
S27	8512	rollers and tacky	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/06 18:25
S28	37	rollers near tacky	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/06 18:32
S29	0	rollers near tacky near friction	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/06 18:33
S30	37	rollers near tacky adj friction	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/06 18:33
S31	0	rollers near tacky adj friction	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/06 18:33
S32	6	rollers near tacky and friction	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/06 18:33
S33	0	S14 with shackle and pintle	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/06 18:45

S34	0	S14 with trunnion near gudgeon	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/06 18:45
S35	0	S14 and trunnion near gudgeon	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/06 18:45
S36	0	S14 and trunnion and gudgeon	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/06 18:45
S37	3	S14 and trunnion	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/06 18:46
S38	0	S14 and shackle	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/06 18:47
S39	4	S14 and pintle	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/06 18:49
S40	48	S15 and compression	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/06 18:50
S41	14	S14 and compression near spring	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/06 18:50
S42	3	("3914817").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/07 09:38
S43	4	("3414166").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/07 11:25

S44	3	("3586213").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/07 11:25
S45	1	222/102 and handle near spring	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/07 11:44